

第一部分 五星词汇

vehicle



/ˈviːkəl/

n. 车辆

vehicle identification number	车辆识别代号
vehicle performance	车辆性能
electric vehicle	电动汽车
four-wheel-drive vehicle	四轮驱动车辆

When the **vehicle** speed is increasing, the wiper speed will return to the manually chosen setting.

当车速提高时，雨刷速度将恢复到手动设定的速度。

The **vehicle** functions are controlled by personal mobile device or voice input.

车辆的各项功能通过个人移动设备或语音输入来操控。

The **vehicle** doesn't have the capacity to make the journey on one tank of fuel.

这辆车单靠一箱燃料无法跑完整趟旅程。



Day
1

engine



/ˈendʒɪn/

n. 发动机，引擎

engine cylinder

发动机气缸

diesel engine

柴油发动机

gasoline engine

汽油发动机

internal combustion engine

内燃机

The **engine** management system controls both the ignition and the fuel management.

发动机管理系统控制点火和燃料管理。

The chassis, brake and cooling systems must be adapted to the increased **engine power** output.

底盘、制动和冷却系统必须适应提升后的发动机功率输出。

In case a very severe sway is detected, the **engine torque** will be reduced and the vehicle will be slowed automatically.

若检测到极为剧烈的车身摇摆，发动机扭矩将自动减小，车速将降低。

Day
2

rear



/rɪr/

adj. 后部的, 背面的

rear axle	后轴
rear bumper	后保险杠
rear fog lamp	后雾灯
rear spoiler	后扰流板
rear suspension	后悬吊, 后悬架
rear wheel	后轮

Slide the **rear** bench seat forward until you hear the locking mechanism engage.

向前滑动后排长椅, 直到听到锁定装置啮合。

The safety lock is located in a recess on the side of the right-hand **rear** door.

安全锁位于右侧后门一侧的凹槽中。

Only use the **rear** fog lamps when visibility is restricted to less than 50 meters.

只有在能见度小于 50 米时才可使用后雾灯。

Day
3

system



/ˈsɪstɪm/

n. 系统

air conditioning system	空调系统
anti-lock braking system (ABS)	防抱死制动系统
child restraint system	儿童约束系统
navigation system	导航系统

In an emergency, you can add just water to the cooling **system** to reach a vehicle service station.

在紧急情况下，你可以向冷却系统只添加清水，来行驶至车辆维修站。

Check the fluid level in the windscreen washer **system** regularly.

定期检查挡风玻璃清洗系统中的液位。

With the optional sports exhaust **system**, the already powerful sound of the mid-mounted engine becomes even more intense.

运动型排气系统的选项使得中置发动机本已强劲的声音变得更加强烈。

Day
4

wheel



/wi:l/

n. 车轮

wheel arch

轮罩

wheel nut

车轮螺母

rear-wheel drive

后轮驱动

steering wheel

方向盘

Limited slip is generally not offered on front-**wheel-drive** vehicles.

前轮驱动的车辆通常不提供防滑功能。

If the spare **wheel** is different from other road **wheels**, it will carry a yellow label with the appropriate speed limit.

若备胎与其他行驶轮胎不同，其上将附有黄色标签，明确标示限速要求。



Day
5

car



/kɑːr/

n. 汽车

car sales

汽车销售

passenger car

乘用车

sports car

跑车, 赛车

We will pay up to \$2,000 as a security bond under the **car** rental agreement.

我们将根据租车协议支付最高 2000 美元的安全保证金。

Online **car** market enables people to understand each part of the **car** through the Internet.

线上汽车市场使人们能够通过互联网了解汽车的方方面面。

Sales with single **car** costs become the main way for automobile manufacturers to control profits.

单车成本销售策略成为汽车制造商控制利润的主要方式。

Day
6

drive



/draɪv/

v. 驾驶

n. 驾驶, 驱动

drive axle	驱动桥
drive line	传动系, 动力传动系统
drive shaft	驱动轴, 传动轴
automatic driving	自动驾驶
final drive ratio	主减速器传动比

The system provides an even more consistent delivery of power and, in turn, significantly greater **driving** pleasure.

该系统提供了更稳定的动力输送, 从而大大增加了驾驶乐趣。

An appropriate **driving** style always remains the responsibility of the driver.

适当的驾驶方式始终是司机的责任。

The recovery function is included as part of the off-road **drive** program and helps to free the vehicle more easily if it gets stuck in sand.

恢复功能作为越野驾驶程序的一部分, 能够在车辆陷入沙地时辅助其更轻松地脱困。

Day
7

brake



/brek/

v.&n. 制动, 刹车

brake caliper

制动钳

brake disk

刹车盘, 制动盘

brake fluid

刹车液, 制动液

brake pad

刹车片, 制动衬片

brake pedal

刹车踏板, 制动踏板

parking brake

驻车制动器

Emergency **brake** assist does not relieve the driver of the responsibility to drive with due care and attention.

紧急制动辅助功能并不能免除司机谨慎驾驶的责任。

When the tire slides on the road, **braking** effect is reduced and directional control of the vehicle may be lost.

轮胎在路面上打滑时, 制动效果会减弱, 可能导致车辆方向失控。

Day
8

switch



/swɪtʃ/

n. 开关

v. (用开关) 改变

combination **switch**

组合开关

ignition **switch**

点火开关

switch on

启动, 开动

switch off

关掉, 切断

The indicator lamp on the **switch** goes out.

开关上的指示灯熄灭。

The seat heating may **switch** off if a number of electrical devices are **switched** on or if the battery charge is insufficient.

如果打开多个用电设备或电池电量不足, 座椅加热可能会关闭。

Day
9

speed



/spi:d/

n. 速度, 转速

speed limit

车速限制

speed transmission

变速器

average speed

平均车速

engine speed

发动机转速

idle speed

怠速转速, 空转转速

maximum speed

最高车速

When you remove your foot from the accelerator pedal, the vehicle returns to the stored **speed**.

当你松开加速踏板, 车辆会恢复到之前设定的速度。

When driving on wet or slushy roads, you should reduce your driving **speed**.

在湿滑或泥泞的道路上行驶时, 你应降低行驶速度。

Day
10

control



/kən'trəʊl/

n. 控制, 操纵

airflow control	气流控制
climate control	气候控制
dynamic stability control (DSC)	动态稳定控制系统
emission control	(汽车) 排放控制
remote control	遥控, 远程控制
traction control	牵引控制

The automatic volume **control** (AVC) adjusts the volume level to compensate for engine noise and road speed noise.

自动音量控制能够调节音量, 以抵消引擎和行驶速度带来的噪声干扰。

A car's on-board devices are managed by its electronic **control** unit.

汽车的电子控制单元负责管理其车载设备。

Day
11

automobile



/ˈɒtəməbiːl/

n. 汽车

automobile industry

汽车工业

automobile trade

汽车贸易

It shows that the **automobile** market in China will maintain a rapid growth rate in recent years.

这表明，中国汽车市场将在近几年内保持快速的增长率。

The electric **automobile** actually enjoyed the greatest acceptance because it was quiet and easy to operate.

这款电动汽车运行安静，操作简便，受到了极大的欢迎。

The **automobile** show in the city center attracted a large crowd of enthusiasts.

市中心的汽车展吸引了大批汽车爱好者。

Day
12

fuel



/'fju:əl/

n. 燃料, 燃油

fuel consumption

燃料消耗量

fuel economy

燃油经济性

fuel gage

燃油表

fuel injection

燃料喷射

fuel nozzle

燃料喷嘴

fuel tank

燃油箱

Cars became smaller, more **fuel-efficient**, less polluting and much safer.

汽车变得体积更小、更省油、污染更少、更安全。

We recommend that you use only high-quality **fuel** without additives or other treatments.

我们建议仅使用无添加剂或未经其他处理的优质燃油。

Day
13

steering



/ˈstɪrɪŋ/

n. 转向装置, 操纵装置

steering column

转向管柱

steering gear

转向器

steering lock

转向角限位, 转向锁

wheel steering

车轮转向

The rear axle **steering** acts to provide even greater agility.

后轴转向的作用是提供更高的灵活性。

Some cars have adjustable **steering** wheels to accommodate drivers of different heights.

一些汽车配备了可调节的方向盘, 以适应不同身高的驾驶者。

Modern cars often come with power **steering** to make maneuvering easier.

现代汽车通常配备动力转向装置, 使操控更加方便。

Day
14

design



/dɪ'zaɪn/

n. 设计

design rule

设计规则

automotive design

汽车设计

engine design

发动机设计

modular design

模块化设计

The traditional automotive **design** method has been a huge challenge.

传统的汽车设计方法一直是一个巨大的挑战。

The rear **design** features a seamless light strip made of glass, as well as the logo in glass look.

尾部设计采用了玻璃制成的无缝灯带，以及玻璃质感的标志。

The front-wheel drive and front-transverse engine maximize occupant space in a small vehicle **design**.

前轮驱动和前置横向发动机在小型车辆设计中最大限度地扩大了乘员空间。

Day
15